






版次: 1.0



RECOMMEND PC BOARD HOLE PATTERN
: CONNECTOR MOUNT SIDE (NOT ACCUMULATE TOLERANCE)
PC BOARD THICKNESS : 1.0~1.6±0.1



1. MATERIAL: HOUSING: GLASS FILLED THERMO PLASTIC POLYESTER (94V-0), COLOR: BLACK
CONTACT: COPPER ALLOY
RETENTION LEG: PRE-TIN COPPER




2. FINISH (ALL OVER): NICKEL PL. 1.27μm MIN
3. FINISH (CONTACT TAIL): TIN PL. 2μm MIN AFTER
4. THE SHAPE, SIZE AND POSITION OF THE CHARACTER SHOW THE OUTLINE. THEY DON'T SHOW DETAILS.
5. THE KEYING ARRANGEMENT OF "Y" IS SYMMETRIC WITH "X".

POS	n	A	B	C	KEY	PART NO
4P	1	2.5	6.0	7.6	X	KF7025-0204-2.5DIP
6P	2	5.0	8.5	10.1	X	KF7025-0306-2.5DIP
8P	3	7.5	11.0	12.6	X	KF7025-0408-2.5DIP
10P	4	10.0	13.5	15.1	X	KF7025-0510-2.5DIP
12P	5	12.5	16.0	17.6	X	KF7025-0612-2.5DIP
16p	7	17.5	21.0	22.6	X	KF7025-0816-2.5DIP
20P	9	22.5	26.0	27.6	X	KF7025-1020-2.5DIP







		3				
		2				
		1			PBT-GF	黑色
设计	李国常	序号	数量	材料	备注	
校对						
审定	林振华					
客户型号						
第3角画法		标记	更改前数值	标记	更改前数值	更改日期
产品材料/颜色		产品名称	胶壳	产品型号	KF7025-X2*X-2.5DIP	
KT 深圳市康利通电子科技有限公司		阶段标记	B	图纸编号		
		共1页 第1页	比例 1:1	单位 mm	设计日期	2018-08-21

设计
校对
甲

版次: 1.0



10POS(X-KEY):KF7025-0510-2.5DIP 12POS(X-KEY):KF7025-0612-2.5DIP



16POS(X-KEY):KF7025-0816-2.5DIP

3					
2					
1				PBT-GF	黑色
设计	李国常	序号	数量	材料	备注
校对					
审定	林振华				
客户型号					
第3角画法		标记	更改前数值	标记	更改前数值
更改日期					
产品材料/颜色		产品名称	胶壳	产品型号	
阶段标记		B	图纸编号		
共1页 第1页	比例	1:1	单位	mm	设计日期
					2018-08-21